



LISTA DE PRECIOS 2019 EN EUROS / PRICE LIST 2019 IN EURO
Valida desde 1 de enero de 2019 / Valid from 1st March 2019
Sujeta a cambio sin previo aviso / Subject to change without notice
Consulte descuentos para distribucion / Consult discount for distribution

INDICE / INDEX	PAG.
Portatiles / Portable	2
GPS y multibanda con GPS / GPS and multiband with GPS	3
moviles de varilla / Whip mobile	4-6
Antenas de bajo perfil / Low profile antennas	7
Adhesivas de cristal y Bases magneticas / Adhesive on glass and magnetic base	7
Omnis de de fibra de vidrio montaje mástil / Mast mount fiberglass antennas	8
Omnis montaje a pared y con plano de tierra / Omnis wall mount and with ground plane	9
Dipolos y apilamiento de dipolos / Dipoles and stack of dipoles	9
Directivas tipo yagi y logperiodicas / Directive antennas yagi and logperiodic type	10-11
Parabolas / Parabolic antennas	11
Paneles / Panels	11
Antenas para cobertura indoor / Indoor coverage antennas	11
Duplexores / Duplexers 40 W, 150 w & HQ	12-13
Filtros / filters 40 - 150 w	14-15
Combinadores híbridos / Hybrid combiner	15
Combinadores Tx y multiacopladores Rx / Combiners Tx and multicouplers Rx	16
Protecciones, atenuadores y cargas / Protections, attenuators and dummy loads	17
Divisores y acopladores / Splitters & couplers	17-18
Cables, conectores y adaptadores / Cables, connectors and adapters	19-23

Garantía

LAMBDA ANTENAS garantiza todos productos durante 24 meses, desde la fecha de salida de fábrica, ante defectos en materiales o mano de obra. Si se detectase algún defecto, la unidad deberá ser devuelta al vendedor, franqueo pagado, incluyendo una breve descripción del fallo. Los productos en garantía se repararán o reemplazarán sin cargo. La garantía no es aplicable si se hacen modificaciones no autorizadas, se usa inadecuadamente o la etiqueta con el número de serie no está intacta

Warranty

All products of LAMBDA ANTENAS have a 24-month warranty period, from the date they are dispatched from our facilities, covering material and manufacturing faults. If a faulty unit is detected, it must be returned to the seller, paying post and package, including a description of the fault. The returned products covered by the warranty will be repaired or replaced without charge. Warranty does not apply if the faulty product has suffered unauthorised manipulation, has been used inadequately or the label including the serial number has been tampered.

ANTENAS DE PORTATILES / PORTABLE ANTENNAS

Consulte para otros conectores y frecuencias / consult for others connectors and frequencies

HELICOIDALES / HELICALS $\lambda/4$ 66-500 MHz ajuste a corte / adjust by cut

PI-4/BNC /TNC	66-136 MHz BNC-m or TNC-m	16,50 €
PI-4/BNC90	66-136 MHz BNC-m acodado 90° / angle 90°	24,62 €
PI-4/N	66-136 MHz N-m	24,23 €
PI-4/PL	66-136 MHz PL-m	16,89 €
PI-4/SMAM /SMAH	66-136 MHz SMA-m or SMA-f	25,39 €
PI-4/IN	66-136 MHz para base movil tipo IN / for mobile base IN type	21,23 €
PI-4/M3 /M5 /M6	66-136 MHz rosca macho / male thread M3 /M5 /M6	21,23 €
PI-2/BNC / TNC	134-240 MHz BNC-m or TNC-m	14,22 €
PI-2/BNC90	134-240 MHz BNC-m acodado 90° / angle 90°	22,86 €
PI-2/PL	134-240 MHz PL-m	16,88 €
PI-2/N	134-240 MHz N-m	24,23 €
PI-2/N90	134-240 MHz N-m angulo 90° / angle 90°	29,60 €
PI-2/SMAM /SMAH	134-240 MHz SMA-m or SMA-f	24,49 €
PI-2/IN	134-240 MHz para base movil tipo IN / for mobile base IN type	20,05 €
PI-2/M3 /M5 /M6	134-240 MHz rosca macho / male thread M3 or M5 or M6	20,05 €
PI-2C/BNC /TNC	136-240 MHz BNC-m or TNC-F corta / short	14,44 €
PI-2C/N	136-240 MHz N-m corta / short	24,23 €
PI-2C/PL	136-240 MHz PL-m corta / short	16,89 €
PI-2C/SMAM /SMAH	136-240 MHz SMA-m or SMA-f corta / short	25,39 €
PI-2C/IN	136-240 MHz para base movil tipo IN / for mobile base IN type	21,23 €
PI-2C/M3 /M5 /M6	136-240 MHz rosca macho / male thread M3 or M5 or M6	21,23 €
PI-70C/BNC /TNC	375-500 MHz BNC-m or TNC-m	14,22 €
PI-70C/BNC90	375-500 MHz BNC-m acodado 90° / angle 90°	22,86 €
PI-70C/PL	375-500 MHz PL-m	16,88 €
PI-70C/N	375-500 MHz N-m	24,23 €
PI-70C/N90	375-500 MHz N-m acodado 90° / angle 90°	29,60 €
PI-70C/SMAM /SMAH	375-500 MHz SMA-m or SMA-f	24,49 €
PI-70C/M3 /M5 /M6	375-500 MHz rosca macho / thread male M3 or M5 or M6	20,05 €

FLEX $\lambda/4$ 375-500 MHz Ajuste a corte / adjust by cut

PI-70/BNC /TNC	375-500 MHz BNC-m or TNC-m	12,81 €
PI-70/BNC90	375-500 MHz BNC-m acodado 90° / angle 90°	23,54 €
PI-70/PL	375-500 MHz PL-m	16,88 €
PI-70/N	375-500 MHz N-m	24,23 €
PI-70/N90	375-500 MHz N-m acodado 90° / angle 90°	29,60 €
PI-70/SMAM /SMAH	375-500 MHz SMA-m or SMA-f	24,49 €
PI-70/M3 /M5 /M6	375-500 MHz rosca / thread M3 or M5 or M6	20,05 €

FLEX $\lambda/2$ 375-960 MHz Ajuste en fábrica/ Adjust in factory

PI-70G/TNC /BNC	Flex 375-500 MHz TNC-m	35,00 €
PI-70G/BNC90	Flex 375-500 MHz BNC-m acodada 90 / angle 90°	48,37 €
PI-70G/PL	Flex 375-500 MHz PL-m	38,05 €
PI-70G/N	Flex 375-500 MHz N-m	38,05 €
PI-70G/N90	Flex 375-500 MHz N-m acodada 90 / angle 90°	64,41 €
PI-70G/SMAM /SMAH	Flex 375-500 MHz SMA-m or SMA-f	34,17 €
PI-80 or PI-90 /BNC /TNC	Flex 1/2 800-895 or 870-960 MHz 1/2 BNC-m or TNC-f	22,75 €
PI-80 or PI-90 /BNC90	Flex 1/2 800-895 or 870-960 MHz 1/2 BNC-m acodado 90° / angle 90°	44,37 €
PI-80 or PI-90 /N	Flex 1/2 800-895 or 870-960 MHz 1/2 N-m	38,05 €
PI-80 or PI-90 /N90	Flex 1/2 800-895 or 870-960 MHz 1/2 N-m acodado 90° / angle 90°	44,37 €
PI-80 or PI-90 /SMAM /SMAH	Flex 1/2 800-895 or 870-960 MHz 1/2 SMA-m or SMA-f	34,17 €

MOVILES GPS Y MULTIBANDAS CON GPS / MOBILE GPS & MULTIBAND WITH GPS		
Consulte otras longitudes de cable y conector / Consult for others cable length and connectors		
Solo GPS / Only GPS		
GPS-3	GPS 2,5 mts cable + SMA-m adhesiva y magnetica / adhesive and magnetic	33,60 €
CA01-1502-01	GPS 5 mts cable + SMA-m montaje de taladro / hole mount	60,00 €
GPS-700	GPS marina o baseo / marine or fix use 10 m TNC macho / male	141,75 €
HRR-GPS700	Soporte pared/mástil para GPS-700 / Bracket wall / mast for GPS-700	43,05 €
Multibandas GPS montaje de taladro / Multiband GPS hole mount		
GPS-2	GPS + 144-500 MHz 1/4 cables 5 m SMA-m & BNC-m varilla rigida / rigid whip	75,71 €
GPS-2R	GPS + 144-174 MHz 1/4 cables 5 m SMA-m & BNC-m, abatible	82,19 €
GPS-2M	GPS + 144-174 MHz 1/4 cables 5 m SMA-m & BNC-m con muelle / with spring	87,60 €
GPS-2G	GPS + 144-174 MHz 5/8 cables 5 m SMA-m & BNC-m	84,36 €
GPS-2GR	GPS + 144-174 MHz 5/8 cables 5 m SMA-m & BNC-m, abatible	90,85 €
GPS-70	GPS + 350-500 MHz 1/4 flex cables 5 m SMA-m & BNC-m	75,71 €
GPS-70R	GPS + 350-500 MHz 1/4 flex cables 5 m SMA-m & BNC-m, abatible	82,19 €
GPS-70G	GPS + 350-500 MHz 5/8 cables 5 m SMA-m & BNC-m	84,36 €
GPS-70GR	GPS + 350-500 MHz 5/8 cables 5 m SMA-m & BNC-m, abatible	90,85 €
CA01-1521035M	Antena disco / Disk antenna GPS + 790-960/1710-2690 MHz 2 cables 5 m RG-174 + SMA-m	80,00 €
CA02-1524035M	Antena disco / Disk antenna GPS / 790-960/1710-2690 MHz / WIFI 2,4 GHz GPS 5 m RG-174 + SMA-m / GSM<E 5 m CLF200 low loss + FME-f WIFI 5 m CLF200 low loss + SMA-rp	99,75 €
GPS-824	GPS + GSM + varilla 55 cm / whip 55 cm UHF 380-430 MHz 5/8 cables 5 mts UHF TNC-m / GPS SMA-m / GSM FME-f	100,80 €
GPS-776	GPS + GSM + varilla / Whip flex 1/4 380-430 MHz cables 5 mts UHF TNC-m / GPS SMA-m / GSM FME-f	100,80 €
Repuestos / Parts		
BA-GP	Base GPS + Radio	64,16 €
W776	Solo varilla / Only whip for GPS-776 flex 16 cm	16,80 €
WCFW70	Solo varilla / Only whip for GPS-824 55 cm	18,00 €
WGPS-2	Solo varilla / Only whip for GPS-2	11,55 €
WGPS-2R	Solo varilla / Only whip for GPS-2R	17,85 €
WGPS-2M	solo varilla / only whip for GPS-2M	18,90 €
WGPS-2G	Solo varilla / Only whip for GPS-2G	18,90 €
WGPS-2GR	Solo varilla / Only whip for GPS-2GR	25,20 €
WGPS-70	Solo varilla / Only whip flex for GPS-70	11,55 €
WGPS-70R	Solo varilla / Only whip flex for GPS-70R	17,85 €
WGPS-70G	Solo varilla / Only whip for GPS-70G	18,90 €
WGPS-70GR	Solo varilla / Only flex for GPS-70GR abatible	25,20 €
Multibandas GPS magneticas / Multiband GPS magnetic mount		
GPS-2-804	GPS + 144-240 MHz 1/4 cables 5 m SMA-m & BNC-m varilla rigida / rigid whip	84,00 €
GPS-2G-804	GPS + 144-240 MHz 5/8 cables 5 m SMA-m & BNC-m	96,60 €
GPS-70-804	GPS + 380-500 MHz flex 1/4	84,00 €
GPS-70G-804	GPS + 380-500 MHz 5/8 cables 5 m SMA-m & BNC-m	89,25 €

MOVILES BASE IN, TORNILLO m10 / MOBILE IN BASE, m10 SCREW 30-512 MHz

* Ajuste por a corte / Adjust by cut * Se requiere plano de tierra / Ground plane required

* Suministradas con 5 mts de RG-58 sin connector / Supplied with 5 mts RG-58, no connector

* Consulte otros tipos de cable y longitudes / consult for other type and length cable

IN-4	66-134 MHz 1/4	36,07 €
IN-4M	66-134 MHz 1/4 con muelle / with spring	44,77 €
IN-4R	66-134 MHz 1/4 abatible	42,29 €
IN-4RM	66-134 MHz 1/4 abatible con muelle / abatible with spring	52,24 €
IN-2	134-220 MHz 1/4	33,58 €
IN-2F	134-220 MHz 1/4 flex	34,82 €
IN-2M	134-220 MHz 1/4 con muelle / with spring	42,29 €
IN-2MA	134-220 MHz 1/4 con muelle ancho tipo barril / with spring barrel type	42,29 €
IN-2R	134-220 MHz abatible	39,80 €
IN-2RM	134-220 MHz 1/4 abatible con muelle / with spring	49,75 €
IN-2RMA	134-220 MHz 1/4 abatible con muelle ancho tipo barril /abatible with spring barrel type	49,75 €
IN-2G	134-220 MHz 3 dBd / 5,1 dBi	39,80 €
IN-2GM	134-220 MHz 3 dBd / 5,1 dBi con muelle / with spring	48,51 €
IN-2GR	134-220 MHz 3 dBd / 5,1 dBi abatible	46,02 €
IN-2GRM	134-220 MHz 3 dBd / 5,1 dBi abatible con muelle / abatible with spring	53,48 €
IN-70	375-512 MHz 1/4 flex	32,34 €
IN-70R	375-512 MHz 1/4 flex abatible	39,80 €
IN-70G	375-512 MHz 3 dBd / 5,1 dBi	38,56 €
IN-70GM	375-512 MHz 3 dBd / 5,1 dBi con muelle / with spring	47,26 €
IN-70GR	375-512 MHz 3dBd abatible	44,77 €
IN-70GRM	375-512 MHz 3 dBd / 5,1 dBi abatible con muelle / abatible with spring	54,72 €

Repuestos de antenas IN / Parts for IN antennas

BA-IN	Base IN m10 cable 5 m RG-58 no connector	22,39 €
WIN-4	Solo varilla / Only whip 66-134 MHz 1/4	13,68 €
WIN-4M	Solo varilla / Only whip 66-134 MHz 1/4 con muelle / with spring	22,39 €
WIN-4R	Solo varilla / Only whip 66-134 MHz 1/4 abatible	19,90 €
WIN-4RM	Solo varilla / Only whip 66-134 MHz 1/4 abatible con muelle / abatible with spring	29,85 €
WIN-2	Solo varilla / Only whip 134-240 MHz 1/4	11,19 €
WIN-2F	Solo varilla / Only whip 134-240 MHz 1/4 flex	12,44 €
WIN-2M	Solo varilla / Only whip 134-240 MHz 1/4 con muelle / with spring	19,90 €
WIN-2MA	Solo varilla / Only whip 134-240 MHz 1/4 con muelle tipo barril/with spring barrel type	19,90 €
WIN-2R	Solo varilla / Only whip 134-240 MHz 1/4 abatible	17,41 €
WIN-2RM	Solo varilla / Only whip 134-240 MHz 1/4 abatible con muelle / abatible with spring	27,36 €
WIN-2RMA	Solo varilla / Only whip 134-240 MHz 1/4 abatible+muelle t.barril /abatible+spring barre	27,36 €
WIN-2G	Solo varilla / Only whip 134-240 MHz 1/4 abatible+muelle tipo barril /abatible+spring ba	17,41 €
WIN-2GM	Solo varilla / Only whip 134-240 MHz 3 dBd / 5,1 dBi	26,12 €
WIN-2GR	Solo varilla / Only whip 134-240 MHz 3 dBd / 5,1 dBi abatible	23,63 €
WIN-2GRM	Solo varilla / Only whip 134-240 MHz 3 dBd / 5,1 dBi abatible con muelle / abatible with	31,09 €
WIN-70	Solo varilla / Only whip 375-512 MHz flex	9,95 €
WIN-70R	Solo varilla / Only whip 375-512 MHz flex abatible	17,41 €
WIN-70G	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi	16,17 €
WIN-70GM	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi con muelle / with spring	24,87 €
WIN-70GR	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi abatible	22,39 €
WIN-70GRM	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi abatible con muelle / abatible with	32,34 €

MOVILES BASE CK TORNILLO m6 / MOBILE CM BASE m6 SCREW 30-512 MHz		
* Ajuste por a corte / Adjust by cut * Se requiere plano de tierra / Ground plane required		
* Suministradas con 5 mts de RG-58 sin connector / Supplied with 5 mts RG-58, no connector		
* Consulte otros tipos de cable y longitudes / consult for other type and length cable		
CK-4	66-134 MHz 1/4	41,04 €
CK-4M	66-134 MHz 1/4 con muelle / with spring	49,75 €
CK-2	134-250 MHz 1/4	38,56 €
CK-2F	134-250 MHz 1/4 flex	39,80 €
CK-2M	134-250 MHz 1/4 con muelle / with spring	47,26 €
CK-2G	134-250 MHz 3 dBd / 5,1 dBi	44,77 €
CK-70	375-512 MHz 1/4 flex	37,31 €
CK-70G	375-512 MHz 3 dBd / 5,1 dBi	43,53 €
CK-70GM	375-512 MHz 3 dBd / 5,1 dBi con muelle / with spring	52,24 €
Repuestos de antenas CK / Parts for antennas CK		
BA-CK	Solo Base con 5 mts cable sin conector / Only base with cable 5 mts no connector	27,36 €
WCK-4	Solo varilla / Only whip 66-134 MHz 1/4	13,68 €
WCK-4M	Solo varilla / Only whip 66-134 MHz 1/4 con muelle / with spring	22,39 €
WCK-2	Solo varilla / Only whip 134-250 MHz 1/4	11,19 €
WCK-2F	Solo varilla / Only whip 134-250 MHz 1/4 flex	12,44 €
WCK-2M	Solo varilla / Only whip 134-250 MHz 1/4 con muelle / with spring	19,90 €
WCK-2G	Solo varilla / Only whip 134-250 MHz 3 dBd / 5,1 dBi	17,41 €
WCK-70	Solo varilla / Only whip 375-512 MHz 1/4 flex	9,95 €
WCK-70G	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi	16,17 €
WCK-70GM	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi	24,87 €

MOVILES BASE CM ABATIBLE TORNILLO M6 / MOBILE CM ABATIBLE BASE M6 SCREW 30-512 MHz		
* Ajuste por a corte / Adjust by cut * Se requiere plano de tierra / Ground plane required		
* Suministradas con 5 mts de RG-58 sin connector / Supplied with 5 mts RG-58, no connector		
* Consulte otros tipos de cable y longitudes / consult for other type and length cable		
CM-4	66-134 MHz 1/4	42,34 €
CM-4M	66-134 MHz 1/4 con muelle / with spring	51,04 €
CM-2	134-250 MHz 1/4	39,85 €
CM-2F	134-250 MHz 1/4 flex	41,09 €
CM-2M	134-250 MHz 1/4 con muelle / with spring	48,56 €
CM-2G	134-250 MHz 3 dBd / 5,1 dBi	46,07 €
CM-70	375-512 MHz 1/4 flex	38,61 €
CM-70G	375-512 MHz 3 dBd / 5,1 dBi	44,82 €
CM-70GM	375-512 MHz 3 dBd / 5,1 dBi	53,53 €
Repuestos de antenas CM / Parts for antennas CM		
BA-CM	Solo Base con 5 mts cable sin conector / Only base cable 5 mts no connector	29,90 €
WCM-4	Solo varilla / Only whip 66-134 MHz 1/4	13,68 €
WCM-4M	Solo varilla / Only whip 66-134 MHz 1/4 con muelle / with spring	22,39 €
WCM-2	Solo varilla / Only whip 134-250 MHz 1/4	11,19 €
WCM-2F	Solo varilla / Only whip 134-250 MHz 1/4 flex	12,44 €
WCM-2M	Solo varilla / Only whip 134-250 MHz 1/4 con muelle / with spring	19,90 €
WCM-2G	Solo varilla / Only whip 134-250 MHz 3 dBd / 5,1 dBi	17,41 €
WCM-70	Solo varilla / Only whip 375-512 MHz 1/4 flex	9,95 €
WCM-70G	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi	16,17 €
WCM-70GM	Solo varilla / Only whip 375-512 MHz 3 dBd / 5,1 dBi con muelle / with spring	24,87 €

ANTENAS CAMUFLADAS (SIMILARES AUTORADIO) / CAMOUFLAGED ANTENNAS (SIMILAR CAR RADIO) 134-512 MHz		
CFW-70	Similar VW 134-174 MHz 1/4 or 375-512 MHz 5/8	47,40 €
Repuestos para antenas camufladas / Parts for camouflaged antennas		
BA-CFW	Solo base tipo / Only base type VW	29,40 €
WCFW-70	solo varilla / only whip VW 134-174 MHz 1/4 or 375-512 MHz 5/8	18,00 €

ANTENAS CON BASE PL HEMBRA STANDARD / ANTENNAS WITH STANDARD PL FEMALE BASE 66-512 MHz		
PL-4	66-134 MHz 1/4	36,09 €
PL-4M	66-134 MHz 1/4 con muelle / with spring	45,23 €
PL-2	134-240 MHz 1/4	31,70 €
PL-2M	134-240 MHz 1/4 con muelle / with spring	41,06 €
PL-2G	134-240 MHz 5/8 3 dBd / 5,1 dBi	36,53 €
PL-70	375-512 MHz 1/4	31,80 €
PL-70G	375-512 MHz 3 dBd / 5,1 dBi	39,44 €
Repuestos de antenas base PL		
BA-PL	Solo base PL hembra + 5 mts cable / Only base PL female + 5 mts cable	22,00 €
VARILLAS / WHIP PL-m	ver apartado siguiente "VARILLAS CON CONECTOR STANDARD" ref. WPL-XX	

VARILLAS CON CONECTOR STANDARD / WHIP WITH STANDARD CONNECTOR		
* Varillas flex 1/2 375-512 ver serie PI-70G/xx en pag. 2 / For flex whip 375-512, see PI-70G/xx in page 2 ajuste a corte		
WPL-4	Solo varilla / Only whip PL-m 66-134 MHz 1/4	19,53 €
WPL-4M	Solo varilla / Only whip PL-m 66-134 MHz 1/4 con muelle / with spring	31,62 €
WPL-2	Solo varilla / Only whip PL-m 134-475 MHz 1/4	16,44 €
WPL-2/90	Solo varilla / Only whip PL-m 134-475 MHz 1/4 angulo 90° / angle 90°	27,30 €
WPL-2M	Solo varilla / Only whip PL-m 134-475 MHz 1/4 con muelle / with spring	27,72 €
WPL-2G	Solo varilla / Only whip PL-m 66-134 MHz 5/8 3 dB	25,20 €
WPL-70	Solo varilla / Only whip flex PL-m 375-512 MHz 1/4 0 dB	17,85 €
WPL-70G	Solo varilla / Only whip PL-m 375-512 MHz 5/8 3 dB	25,20 €
WBNC-4	Solo varilla / Only whip BNC-m 66-134 MHz 1/4	14,70 €
WBNC-4M	Solo varilla / Only whip BNC-m 66-134 MHz 1/4 con muelle / with spring	27,30 €
WBNC-2	Solo varilla / Only whip BNC-m 134-475 MHz 1/4	13,65 €
WBNC-2/90	Solo varilla / Only whip BNC-m 134-475 MHz 1/4 angulo 90° / angle 90°	24,47 €
WBNC-2M	Solo varilla / Only whip BNC-m 134-475 MHz 1/4 con muelle / with spring	23,42 €
WBNC-2G	Solo varilla / Only whip BNC-m 66-134 MHz 5/8 3 dB	20,48 €
WBNC-70	16	12,84 €
WBNC-70G	Solo varilla / Only whip BNC-m 375-512 MHz 5/8 3 dB	20,48 €

BAJO PERFIL BASE NMO / LOW PROFILE NMO BASE		
Requiere plano metalico / If it's not specified, metallic plane required		
Bases		
GL311	Base NMO 5 mts RG-58 sin conector / no connector	24,15 €
GL320	Base magnetic 5 mts RG-58 sin conector / no connector	100,00 €
VTPM800	Base N-h sin cable / N-f without cable	43,05 €
Bajo perfil Laird / Low profile Laird Habitualmente en stock en color negro / Black colour habitually in stock		
TRAT(B)1420 (***)	142-160 MHz 0 dB Ajustable / Adjustable	118,00 €
TRAT(B)1500 (***)	150-168 MHz 0 dB Ajustable / Adjustable	118,00 €
TRAT(B)1560 (***)	156-172 MHz 0 dB Ajustable / Adjustable	118,00 €
TRA(B)3803 (***)	380-400 MHz 3 dB Banda completa / Complete band	60,90 €
TRA(B)4103 (***)	410-430 MHz 3 dB Banda completa / Complete band	60,90 €
TRA(B)4303 (***)	430-450 MHz 3 dB Banda completa / Complete band	60,90 €
TRA(B)4503 (***)	450-470 MHz 3 dB Banda completa / Complete band	60,90 €

ANTENAS BAJO PERFIL TIPO DISCO DE TALADRO / LOW PROFILE ANTENNAS DISK TYPE HOLE MOUNT		
Consulte otra longitud de cable y conector / Consult for other length of cable and connector		
CA01-1521035M	Antena disco / Disk antenna GPS + Telefonía 790-960/1710-2690 MHz 2 cables 5 m RG-174 + SMA-m	80,00 €
CA02-1524035M	Antena disco / Disk antenna GPS / 790-960/1710-2690 MHz / WIFI 2,4 GHz GPS 5 m RG-174 + SMA-m / GSM<E 5 m CLF200 low loss + FME-f WIFI 5 m CLF200 low loss + SMA-rp	99,75 €
CA01-0727035M	790-960 / 1710-2170 / 2500-2700 MHz 3 dBi 5 m cable RG-174 + FME-female	54,00 €
CA01-1502-01	GPS 5 m cable RG-174 + SMA-male	73,50 €

ANTENAS PARA TREN / TRAIN ANTENNAS		
BP-0270	Antena tren / Train antenna 144-174 & 380-470 MHz	230,00 €

BASES MAGNETICAS CON 3,5 MTS CABLE / MAGNETIC BASES WITH 3,5 MTS CABLE		
Precio = precio de la base + precio de la varilla (opcional)		
Price = Base price + whip price (optional) Cable 3.5 mts, specify connector		
BA-MAG-10-xxx	M10 para varilla WIN, xxx es conector / M10 to whip WIN	42,00 €
BA-MAG-6-xxx	M6 para varilla WCM / M6 to whip WCM	42,00 €
BA-MAG-PL	PL-h para varillas WPL-xxx / Magnetic base PL-f to whip WPL-xxx	42,00 €

ANTENAS ADHESIVAS INTERIOR PARA CRISTAL / ADHESIVE INDOOR ON GLASS ANTENNAS		
GSM-19x	806-960/1710-2500 MHz 2,5 mts cable + connector	18,00 €
DP-02	150-220 MHz ajuste a corte / adjust to cut ancho de banda / Bandwidth 12 MHz	44,90 €
DP-03	380-475 MHz ajuste a corte / Adjust by cut bandwidth 30 MHz	44,90 €

ANTENAS MOVILES DE VARILLA / WHIP MOBILE ANTENNAS 900/1800/UMTS		
Consulte otras longitudes de cable y conector / Consult for others cable length and connectors		
Montaje de taladro / Hole mount		
EHD-1891	3 dBd / 5,1 dBi 2,5 mts cable + SMA-m 30 cm 900 / 1800 /UMTS / WIFI 2,4 GHz	32,60 €
Minimagneticas diam. base 3 cm / Minimagnetic base diam. 3 cm		
MHD-1891	3 dBd / 5,1 dBi 2 mts cable + SMA-m 900 / 1800 /UMTS / WIFI 2,4 GHz	32,60 €
Repuestos EHD y MHD / Parts MHD & EHD		
EHD	Solo base de taladro / Only hole mount base 2 mts cable + SMA-m	22,24 €
MHD	Solo base minimagnetica / Only minimagnetic 2 mts cable + SMA-m	22,24 €
1891	Solo varilla / Only whip 3 dB 30 cm 900 / 1800 /UMTS / WIFI 2,4 GHz	11,41 €

OMNIS FIBRA DE VIDRIO MONTAJE A MASTIL / FIBER GLASS OMNI MAST MOUNT 30 - 5850 MHZ		
Si no se especifica, conector N-h / if not specified, N female connector		
BC6-1G	30-66 MHz 0 dBd / 2,1 dBi Ajuste en fábrica/ Adjust in factory	325,22 €
BC4-1GL	66-78 0 dBd / 2,1 dBi Banda completa / complete band	276,44 €
BC4-1GM	72-82 0 dBd / 2,1 dBi Banda completa / complete band	276,44 €
BC4-1GH	76-88 0 dBd / 2,1 dBi Banda completa / complete band	276,44 €
BJ4-80	74-90 MHz 0 dBd / 2,1 dBi Antena ligera / Light antenna	176,40 €
BJ4-90	88-108 MHz 0 dBd 2,1 dBi Antena ligera / Light antenna	176,40 €
BC3-1G	88-108 MHz 0 dBd 2,1 dBi Banda completa / complete band	276,43 €
BC2-1GL	118-136 0 dBd / 2,1 dBi Banda completa / Complete band	252,05 €
BC2-3GL	118-136 MHz 3 dBd / 5,1 dBi Ajuste en fábrica/ Adjust in factory	325,22 €
BC2-1GM	136-144 MHz 0 dBd / 2,1 dBi Banda completa / Complete band	252,05 €
BC2-1GH	144-174 MHz 0 dBd / 2,1 dBi Banda completa / Complete band	252,05 €
BC2-1GHH	174-200 MHz 0 dBd / 2,1 dBi Banda completa / Complete band	252,05 €
BJ2 serie	118-240 0 dBd / 2,1 dBi Ajuste en fábrica ancho de banda 6 MHz / Adjust in factory b	143,85 €
BJ3 serie	135-240 3 dBd / 5,1 dBi Ajuste en fábrica ancho de banda 10 MHz / Adjust in factory b	187,95 €
BC2-3G	138-240 MHz 3 dBd / 5,1 dBi Ajuste en fábrica/ Adjust in factory	243,92 €
BC155-3G	144-160 MHz banda completa 3 dBd / 5,1 dBi 300 W	352,80 €
BC165-3G	160-174 MHz banda completa 3 dBd / 5,1 dBi 300 W	352,80 €
BC2-45G	138-240 MHz 4,5 / 6,6 dBi dBd Ajuste en fábrica/ Adjust in factory	341,48 €
BM2-7G serie	146-174 6,5 dBd / 8,6 dBi 2 tramos/parts ancho de bandad / bandwidth 8 MHz	409,50 €
GP1xx/4xx serie	Omni dual band VHF / UHF 1 - 3 dBd / 3,1 - 5,1 dBi with 3 ground plane	167,00 €
BC70-1GT	380-430 MHz 0 dBd / 2,1 dBi Banda completa / Complete band	121,14 €
BC70-1G	400-475 MHz 0 dBd / 2,1 dBi Banda completa / Complete band	121,14 €
BC70-3G	380-512 MHz 3 dBd / 5,1 dBi Ajuste en fábrica/ Adjust in factory	195,14 €
BC70-5G	380-512 MHz 4,5 dBd / 6,6 dBi Ajuste en fábrica/ Adjust in factory	215,46 €
BC70-7G	380-512 MHz 7 dBd / 9,1 dBi Ajuste en fábrica/ Adjust in factory	325,22 €
BC70-8G	380-512 MHz 8,5 dBd / 10,6 dBi Ajuste en fábrica/ Adjust in factory	382,14 €
BJ5 Serie	380-475 MHz 4,5 dBd/6,6 dBi Ajuste en fábrica /Adjust in factory	195,30 €
BC390-3G	Tetra 380-400 MHz 3 dBd / 5,1 dBi 300 W	294,00 €
BC390-6G	Tetra 380-400 MHz 6 dBd / 8,1 dBi 300 W	331,80 €
BC420-3G	Tetra 410-430 MHz 3 dBd / 5,1 dBi 300 W	294,00 €
BC420-6G	Tetra 410-430 MHz 6 dBd / 8,1 dBi 300 W	331,80 €
BC460-3G	Tetra 450-470 MHz 3 dBd / 5,1 dBi 300 W	294,00 €
BC460-6G	Tetra 450-470 MHz 6 dBd / 8,1 dBi 300 W	331,80 €
BC0809-4G	804-960 MHz 4 dBd / 6,1 dBi	149,00 €
BC80-6G	824-896 MHz 6 dBd / 8,1 dBi	231,00 €
BC80-8G	824-896 MHz 8 dBd / 10,1 dBi	265,65 €
BC80-10G	824-896 MHz 10 dBd / 12,1 dBi	303,45 €
BC90-1G	860-960 MHz 0 dBd / 2,1 dBi	121,14 €
BC90-6G	880-960 MHz 6 dBd / 8,1 dBi	231,00 €
BC90-8G	880-960 MHz 8 dBd / 10,1 dBi	265,65 €
BC90-10G	880-960 MHz 10 dBd / 12,1 dBi	300,30 €
BC0822-1G	824-960/1710-2200 MHz 0 dBd / 2,1 dBi	110,00 €
BC0822-3G	824-960/1710-2200 MHz 3 dBd / 5,1 dBi	130,00 €
BC0822-5G	824-960/1710-2200 MHz 5 dBd / 7,1 dBi	149,00 €
BC2400-10G	2400-2485 MHz 10 dBd / 12,1 dBi	154,00 €
BC2455-5G	2400-2483 / 5150-5850 MHz 5 dBd / 7,1 dBi	97,00 €
BC2455-7G	2400-2483 / 5150-5850 MHz 7 dBd / 9,1 dBi	110,00 €
BC5500-10G	5150-5850 MHz 10 dBd / 12,1 dBi	147,00 €

OMNIS DE MONTAJE CON ANGULO A PARED / OMNI ANGLE WALL MOUNT		
WM70-1G	380-470 MHz banda completa / complete band 0 dBd 5 mts RG-58 + FME-h	86,82 €
ST-914	806-900 MHz 3 dBd / 5,1 dBi 5 mts HF50+SMA-m	52,92 €
ST-1891	850-960/1710-2500 MHz 3 dBd / 5,1 dBi / 5 dBi 5 mts HF50+SMA-m	52,92 €

OMNIS PLANO DE TIERRA MONTAJE ENCIMA DE MASTIL / GROUND PLANE OMNI TOP MAST MOUNT		
GP	30-500 MHz ajuste en fabrica 1/4 antenna muy robusta en aluminio macizo Ø 10 mm, N-h o PL-h sin cable / 30-500 MHz adjust in factory 1/4 haevy duty antenna in aluminium solid Ø 10 mm, N-f or PL-f, no cable	175,33 €
GP-2G-2-5/8	144-174 MHz 3 dBd / 5,16 dBi, 2 x 5/8, N hembra / female, ancho de banda / bandwidth 5 MHz	150,00 €
GP-70-2-5/8	400-475 MHz 5,5 dBd / 7,6 dBi, 2 x 5/8, N hembra / female, ancho de banda / bandwidth 10 MHz	117,00 €
GP-1870	380-475 MHz 0 dBd / 2,15 dBi 5 mts RG-58 + TNC-m ancho de banda, bandwidth 10 MHz	65,10 €
GP-1891	824-960 / 1710-2500 MHz 3 dBd / 5,1 dBi 5 mts H-155 + TNC-m	65,10 €

DIPOLOS Y APILAMIENTO DE DIPOLOS / DIPOLE AND STACK OF DIPOLES		
En los apilamientos, mastiles y divisor incluidos en el precio / In the stack, masts and Splitter included in the price		
La ganancia depende de la colocacion de los dipolos / The gain pending of dipoles alocation		
Consulte para otras frecuencias / Consult for others frequencys		
Especificada ganancia en / Ganancy specified in omni - offset		
DIPOLOS PLEGADOS / FOLDED DIPOLES		
BD4-1G	66-88 MHz 0 dBd	241,07 €
BD4-3G	66-88 MHz 3 - 4,5 dBd / 6,6 dBi, 2 dipoles	898,55 €
BD4-4G	66-88 MHz 4,5 - 6 dBd, 3 dipoles	1.212,68 €
BD2-1GL	118-136 MHz 0 dBd	168,02 €
BD2-3GL	118-136 MHz 3 - 4,5 dBd / 6,6 dBi, 2 dipoles	825,30 €
BD2-4GL	118-136 MHz 4,5 - 6 dBd 3 dipoles	788,55 €
BD2-6GL	118-136 MHz 6 - 8,5 dBd 4 dipoles	911,40 €
BD2-9GL	118-136 MHz 9 - 11 dBd 6 dipoles	1.373,40 €
BD2-1G	144-174 MHz 0 dBd	168,02 €
BD2-3G	144-174 MHz 3 - 4,5 dBd / 6,6 dBi 2 dipoles	825,50 €
BD2-4G	144-174 MHz 4,5 - 6 dBd 3 dipoles	986,22 €
BD2-6G	144-174 MHz 6 - 8,5 dBd 4 dipoles	1.139,63 €
BD2-9G	144-174 MHz 9 -11 dBd 6 dipoles	1.716,75 €
BD70-1G	380-475 MHz 0 dBd	124,19 €
BD70-3G	380-475 MHz 3 - 4,5 dBd 2 dipoles	650,17 €
BD70-4G	380-475 MHz 4,5 - 6, dBd 3 dipoles	869,33 €
BD70-6G	380-475 MHz 6 - 8,5 dBd 4 dipoles	981,75 €
BD70-9G	380-475 MHz 9 - 11 dBd 6 dipoles	1.308,07 €

ANTENAS DIRECTIVAS / DIRECTIVE ANTENNAS (YAGI & LOGPERIODIC)

Si no se especifica, trabajan en la banda completa / If not specified, work in the complete band

BY4-3GL	Yagi 66-77 MHz 3 dBd / 5,1 dBi 2 elem.	294,34 €
BY4-3GM	Yagi 69-81 MHz 3 dBd / 5,1 dBi 2 elem.	294,34 €
BY4-3GH	Yagi 77-88 MHz 3 dBd / 5,1 dBi 2 elem.	294,34 €
BY4-6GL	Yagi 66-77 MHz 6 dBd 3 elem.	326,86 €
BY4-6GM	Yagi 69-81 MHz 6 dBd 3 elem.	326,86 €
BY4-6GH	Yagi 77-88 MHz 6 dBd 3 elem,	326,86 €
BY3-5G	Yagi FM 88-108 MHz 5 dBd 3 elem,	252,00 €
BY3-7G	Yagi FM 88-108 MHz 7 dBd 4 elem,	267,87 €
BY3-9G	Yagi FM 88-108 MHz 9 dBd 5 elem,	325,22 €
BYBA-7G	Yagi 118-136 MHz 7 dBd 4 elem,	267,86 €
BYBA-9G	Yagi 118-136 MHz 9 dBd 5 elem,	325,23 €
BYBA-10G	Yagi 118-136 MHz 10 dBd 6 elem,	364,38 €
BY2-3GS	Yagi 136-144 MHz 3 dBd / 5,1 dBi 2 elem,	197,58 €
BY2-6GS	Yagi 136-144 MHz 6 dBd 3 elem,	234,98 €
BY2-8GS	Yagi 136-144 MHz 8 dBd 5 elem,	278,89 €
BY2-3G	Yagi 144-175 MHz 3 dBd / 5,1 dBi 2 elem,	197,58 €
BY2-6GL	Yagi 144-160 MHz 6 dBd 3 elem,	234,98 €
BY2-8GL	Yagi 144-160 MHz 8 dBd 5 elem,	278,89 €
BY2-10GL	Yagi 144-160 MHz 10 dBd 8 elem,	319,73 €
BY2-6GH	Yagi 160-175 MHz 6 dBd 3 elem,	234,98 €
BY2-8GH	Yagi 160-175 MHz 8 dBd 5 elem,	278,89 €
BY2-10GH	Yagi 160-175 MHz 10 dBd 8 elem,	319,73 €
BY2-3GHH	Yagi 174-195 MHz 10 dBd 8 elem,	197,58 €
BY2-6GHH	Yagi 174-195 MHz 6 dBd 3 elem,	234,98 €
BY2-8GHH	Yagi 174-195 MHz 8 dBd 5 elem,	278,89 €
BY200-9G	Yagi 188-208 MHz 9 dBd 6 elem,	325,22 €
BY210-9G	Yagi 200-220 MHz 9 dBd 6 elem,	325,22 €
BY1-6G	Yagi 220-240 MHz 6 dBd 3 elem,	201,60 €
BY1-7G	Yagi 220-240 MHz 7 dBd 4 elem	231,00 €
BY1-9G	Yagi 220-240 MHz 9 dBd 6 elem,	252,00 €
BY300-5G	Yagi 280-330 MHz 5 dBd 3 elem,	252,00 €
BY300-7G	Yagi 280-330 MHz 7 dBd 5 elem,	283,50 €
BY300-12G	Yagi 280-330 MHz 12 dBd 10 elem,	306,31 €
BY360-5G	Yagi 330-380 MHz 5 dBd 3 elem,	252,00 €
BY360-7G	Yagi 330-380 MHz 7 dBd 5 elem,	283,50 €
BY360-12G	Yagi 330-380 MHz 12 dBd 10 elem,	306,31 €
BY70-3GT	Yagi 380-430 MHz 3 dBd / 5,1 dBi 2 elem,	114,87 €
BY70-3G	Yagi 400-475 MHz 3 dBd / 5,1 dBi 2 elem,	114,87 €
BY70-5GT	Yagi 380-430 MHz 5 dBd 3 elem,	142,29 €
BY70-5G	Yagi 400-475 MHz 5 dBd 3 elem,	142,29 €
BY70-7GT	Yagi 380-430 MHz 7 dBd 5 elem,	178,88 €
BY70-7G	Yagi 400-475 MHz 7 dBd 5 elem,	178,88 €
BY70-10GT	Yagi 380-400 MHz 10 dBd 7 elem,	217,10 €
BY70-10G	Yagi 400-475 MHz 10 dBd 7 elem,	217,10 €
BY70-12GT	Yagi 380-430 MHz 12 dBd 10 elem,	233,36 €
BY70-12G	Yagi 400-475 MHz 12 dBd 10 elem,	233,36 €
BY500-12G	Yagi 460-535 MHz 12 dBd 14 elem	306,82 €
BY600-12G	Yagi 535-660 MHz 12 dBd 14 elem,	306,82 €
BY700-12G	Yagi 660-800 MHz 12 dBd 14 elem,	306,82 €
BY80-10G	Yagi 800-900 MHz 10 dBd 10 elem,	134,16 €

BY80-12G	Yagi 800-900 MHz 12 dBd 14 elem,	162,61 €
BY90-10G	Yagi 870-960 MHz 10 dBd 10 elem,	134,16 €
BY90-12G	Yagi 870-960 MHz 12 dBd 14 elem,	162,61 €
BY90-15G	Yagi 870-960 MHz 15 dBd 15 elem,	222,44 €
BY150-12G	Yagi 1400-1550 MHz 12 dBd 15 elem, acero inoxidable / stainless steel	169,17 €
BY160-12G	Yagi 1550-1700 MHz 12 dBd 15 elem, acero inoxidable / stainless steel	169,17 €
BY180-12G	Yagi 1700-1900 MHz 12 dBd 15 elem, acero inoxidable / stainless steel	169,17 €
BY0727-8G	Logperiodic 790-970/1710-2700 MHz 8 dBd radomizada / radomized	126,00 €
BY0727-10G	Logperiodic 790-970/1710-2690 MHz 10 dBd 10 mts low loss cable H-155 + FME-f	156,45 €
BYB0727-5G	Bidireccional 790-970/1710-2700 MHz 5 dBd - 7,1 dBi radomizada / radomized	210,00 €
BY2400-7G	Yagi 2400-2483 MHz 7 dBd = 9 dBi 6 elem.	102,90 €
BY2400-9G	Yagi 2400-2483 MHz 9 dBd = 11 dBi 8 elem.	120,75 €
BY2400-11G	Yagi 2400-2483 MHz 11 dBd = 13 dBi 15 elem.	136,50 €
BY2400R-13G	Yagi 2400-2483 MHz 13 dBd / 5,1 dBi = 15 dBi radomizada / radomized	122,85 €
BY2458R-6G	Yagi wifi 2,4 & 5,8 GHz 6 dBd = 8 dBi	129,15 €

ANTENAS PARABOLAS / PARABOLIC ANTENNAS

Consulte para otras frecuencias (400 - 5850 MHz) y diametros (0,6-1,80 mts)

Consult for others frequencies (400 - 5850 MHz) and diameters (0,6 - 1,80 mts)

PAR145-120	De rejilla / Grid 1427-1480 MHz diam. 1,20 MT. 24 dBi	916,00 €
PAR150-120	De rejilla / Grid 1480-1535 MHz diam. 1,20 MT. 24 dBi	916,00 €
PAR160-120	De rejilla / Grid 1660-1670 MHz diam. 1,20 MT. 24 dBi	916,00 €
CP150-20G	De rejilla / Grid 1500-1600 MHz 20 dBi 90x60 cm	275,00 €
CP160-20G	De rejilla / Grid 1640-1680 MHz 20 dBi 90x60 cm	275,00 €
CP200-22G	De rejilla / Grid 1920-2170 MHz 22 dBi 90x60 cm	275,00 €

PANEL PARA EXTERIOR / PANEL ANTENNAS OUTDOOR

PAN70PD12-105	PANEL X Pol 380-430 MHz 10 dBd/12 dBi H=105° V=17° 250 W	690,00 €
PAN390PV6G-90	PANEL V Pol 380-400 MHz 6 dBd / 8 dBi H=90° V=65° 250 W	330,00 €
PAN390PV9G-90	PANEL V Pol 380-400 MHz 9 dBd / 11 dBi H=90° V=30° 250 W	410,00 €
PAN420PV6G-90	PANEL V Pol 410-430 MHz 6 dBd / 8 dBi H=90° V=65° 250 W	330,00 €
PAN420PV9G-90	PANEL V Pol 410-430 MHz 9 dBd / 11 dBi H=90° V=30° 250 W	410,00 €
PAN460PV6G-90	PANEL V Pol. 450-470 MHz 6 dBd 8 dBi H=90° V=65° 250 W	330,00 €
PAN460PV9G-90	PANEL V Pol. 450-470 MHz 9 dBd/11 dBi H=90° V=30° 250 W	410,00 €
PAN0427-5G	380-490 / 790-960/1710-2700 MHz 3 / 5 / 7 dBi Montaje a Mastil / Mast mount	110,00 €
PAN0727-7G	790-960 / 1710-2700 MHz V Pol. 7 dBd / 9 dBi Montaje a mastil / Mast mount	70,00 €
WM0727-10G	790-960/1710-2690 MHz V Pol.8 dBd/10 dBi Montaje pared-mastil / Mast-wall mount	120,00 €

ANTENNAS PARA COBERTURA INDOOR / ANTENNAS FOR INDOOR COVERAGE

CELL0305-1G	350-500 MHz omni plana de techo / omni flat ceiling mount	90,00 €
CELL0427-1G	380-2700 MHz omni de techo banda completa / omni ceiling mount complete band	90,00 €
WMI0427-5G	380-2700 MHz panel a pared / wall mount panel	110,00 €
WMB0825-3G	Bidireccional techo-pared / bidirectional wall -ceilling mount 806-960/1710-2500 MHz 3 dBi	90,00 €
CELL0727-3G	Omni de techo / Ceiling omni 790-960 / 1710-2700 MHz	50,00 €
WMI0727-7G	Panel 790-960 / 1710-2700 MHz montaje a pared / wall mount	60,00 €

DUPLEXORES / DUPLEXERS

Consulte con fábrica para diseños a medida / Consult with factory for customized design

Conectores standard N hembra, otros disponibles / Standard connectors N female, other options availables

Si no se especifica 6 resonadores / If not specified, 6 resonators

Duplexores / Duplexers 40 W

DU-561-L	33-44 MHz	Split Tx-Rx	3 MHz	507,00 €
DU-562-L	33-44 MHz	Split Tx-Rx	5 MHz	507,00 €
DU-560-L	33-44 MHz	Split Tx-Rx	10 MHz	507,00 €
DU-561-M	44-55 MHz	Split Tx-Rx	3 MHz	507,00 €
DU-562-M	44-55 MHz	Split Tx-Rx	5 MHz	507,00 €
DU-560-M	44-55 MHz	Split Tx-Rx	10 MHz	507,00 €
DU-561-H	55-66 MHz	Split Tx-Rx	3 MHz	507,00 €
DU-562-H	55-66 MHz	Split Tx-Rx	5 MHz	507,00 €
DU-560-H	55-66 MHz	Split Tx-Rx	10 MHz	507,00 €
DU-461-L	66-77 MHz	Split Tx-Rx	2.3 MHz	346,50 €
DU-462-L	66-77 MHz	Split Tx-Rx	5 MHz	346,50 €
DU-460-L	66-77 MHz	Split Tx-Rx	10 MHz	346,50 €
DU-461-H	77-88 MHz	Split Tx-Rx	2.3 MHz	346,50 €
DU-462-H	77-88 MHz	Split Tx-Rx	5 MHz	346,50 €
DU-460-H	77-88 MHz	Split Tx-Rx	10 MHz	346,50 €
DU-261	134-144 MHz	Split Tx-Rx	2.3 MHz	214,99 €
DU-262-LL	134-150 MHz	Split Tx-Rx	4-6 MHz	214,99 €
DU-267-L	144-160 MHz	Split Tx-Rx	3 MHz	214,99 €
DU-262-L	144-150 MHz	Split Tx-Rx	4-6 MHz	214,99 €
DU-262-L/DR3000	144-150 MHz	Split Tx-Rx	4-6 MHz internal mounting for Motorola DR3000	295,00 €
DU-260-L	144-160 MHz	Split Tx-Rx	10 MHz	214,99 €
DU-262-M	152-172 MHz	Split Tx-Rx	5 MHz	214,99 €
DU-267-H	160-174 MHz	Split Tx-Rx	3 MHz	214,99 €
DU-262-H	160-174 MHz	Split Tx-Rx	5 MHz	214,99 €
DU-262-H/DR3000	160-174 MHz	Split Tx-Rx	5 MHz internal mounting for Motorola DR3000	295,00 €
DU-260-H	160-174 MHz	Split Tx-Rx	10 MHz	204,75 €
DU-292-H	160-174 MHz	Split Tx-Rx	10 MHz 9 resonadores / resonators - Bandwidth 2 MHz	347,29 €
DU-262-HH	175-190 MHz	Split Tx-Rx	5 MHz	214,99 €
DU-1615-T	220-240 MHz	Split Tx-Rx	6 MHz bandwidth 1,5 MHz .	264,38 €
DU-162-T	220-240 MHz	Split Tx-Rx	6 MHz	264,38 €
DU-162-H	230-250 MHz	Split Tx-Rx	5 MHz.	264,38 €
DU-165-S	340-360 MHz	Split Tx-Rx	5 MHz	264,38 €
DU-7062-T	375-400 MHz	Split Tx-Rx	10 MHz	214,99 €
DU-7065-L	400-440 MHz	Split Tx-Rx	5 MHz	214,99 €
DU-7062-L	400-440 MHz	Split Tx-Rx	10 MHz	214,99 €
DU-7062-L/DR3000	400-440 MHz	Split Tx-Rx	10 MHz internal mounting for Motorola DR3000	295,00 €
DU-7065-H	440-475 MHz	Split Tx-Rx	5 MHz.	214,99 €
DU-7062-H	440-475 MHz	Split Tx-Rx	10 MHz	214,99 €
DU-7062-H/DR3000	440-475 MHz	Split Tx-Rx	10 MHz internal mounting for Motorola DR3000	295,00 €
DU-6065	470-512 MHz	Split Tx-Rx	5 MHz	214,99 €
DU-6062	470-512 MHz	Split Tx-Rx	10 MHz .	214,99 €

Miniplexer

MI-262-L	144-162 MHz	Split Tx-Rx	5 MHz	264,38 €
MI-262-L/HYT	144-162 MHz	Split Tx-Rx	5 MHz internal mounting to HYT 965	295,00 €
MI-260-L	144-162 MHz	Split Tx-Rx	10 MHz	264,38 €
MI-262-H	158-175 MHz	Split Tx-Rx	5 MHz	264,38 €
MI-262-H/HYT	158-175 MHz	Split Tx-Rx	5 MHz internal mounting to HYT 965	295,00 €
MI-260-H	158-175 MHz	Split Tx-Rx	10 MHz	264,38 €
MI-7062-T	380-400 MHz	Split Tx-Rx	10 MHz	264,38 €

MI-7065-L	400-440 MHz Split Tx-Rx 5 MHz	264,38 €
MI-7062-L	400-440 MHz Split Tx-Rx 10 MHz	264,38 €
MI-7062-L/HYT	400-440 MHz Split Tx-Rx 10 MHz internal mounting to HYT 965	295,00 €
MI-7065-H	440-475 MHz Split Tx-Rx 5 MHz	264,38 €
MI-7062-H	440-475 MHz Split Tx-Rx 10 MHz	264,38 €
MI-7062-H/HYT	440-475 MHz Split Tx-Rx 10 MHz internal mounting to HYT 965	295,00 €
Ultraplexer		
UL-7085	ULTRAPLEXOR 380-385 / 390-395 MHz	420,00 €
UL-7062-L	ULTRAPLEXOR 400-440 MHz Split Tx-Rx 10 MHz 50 x 156 x 40 mm	457,20 €
UL-7062-H	ULTRAPLEXOR 440-475 MHz Split Tx-Rx 10 MHz 50 x 156 x 40 mm	457,20 €
Duplexores de alta potencia / High power duplexers (150 W)		
DUPT-562-L	33-44 MHz Ajuste en fábrica/ Adjust in factory Split Tx-Rx 5 MHz	590,00 €
DUPT-562-M	44-55 MHz Ajuste en fábrica/ Adjust in factory Split Tx-Rx 5 MHz	590,00 €
DUPT-562-H	55-66 MHz Ajuste en fábrica/ Adjust in factory Split Tx-Rx 5 MHz	590,00 €
DUPT-461-L	66-77 MHz Split Tx-Rx 2 MHz	450,00 €
DUPT-462-L	66-77 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-460-L	66-77 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-461-H	77-88 MHz Split Tx-Rx 2 MHz	450,00 €
DUPT-462-H	77-88 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-460-H	66-77 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-261	136-144 MHz Split Tx-Rx 2.3 MHz	450,00 €
DUPT-267-L	144-162 MHz Split Tx-Rx 3 MHz	450,00 €
DUPT-262-L	144-162 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-260-L	144-162 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-262-M	150-172 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-267-H	158-175 MHz Split Tx-Rx 3 MHz	450,00 €
DUPT-262-H	158-175 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-260-H	158-175 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-7062-T	375-400 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-7082-T	375-400 MHz Split Tx-Rx 10 MHz 8 resonators bandwidth 5 MHz	630,00 €
DUPT-7061-L	400-440 MHz Split Tx-Rx 2 MHz	450,00 €
DUPT-7065-L	400-440 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-7062-L	400-440 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-7082-L	400-440 MHz Split Tx-Rx 10 MHz 8 resonators bandwidth 5 MHz	630,00 €
DUPT-7061-H	440-475 MHz Split Tx-Rx 2 MHz	450,00 €
DUPT-7065-H	440-475 MHz Split Tx-Rx 5 MHz	450,00 €
DUPT-7062-H	440-475 MHz Split Tx-Rx 10 MHz	450,00 €
DUPT-7082-H	440-475 MHz Split Tx-Rx 10 MHz 8 resonators bandwidth 5 MHz	630,00 €
DUPT-6062	475-512 MHz Split Tx-Rx 10 MHz	450,00 €
Duplexores 4 cavidades Alto Q / 4 Cavities high Q duplexers		
DC-4AQ	66-88 MHz	1.854,00 €
DC-BAAQ	118-136 MHz AIR BAND	1.348,00 €
DC-2AQ	136-175 MHz	1.348,00 €
DC-70AQ	375-512 MHz	1.179,00 €
DC-80AQ	806-870 MHz	1.179,00 €

FILTRO DE CAVIDAD ALTO Q / CAVITY FILTER HIGH Q		
Consulte con fábrica para diseños a medida / Consult with factory for customized design		
Conectores standard N hembra, otros disponibles / Standard connectors N female, other options availables		
Paso banda / Pass band		
CP-4-AQ	66-88 MHz	579,11 €
CP-3-AQ	88-108 MHz	510,00 €
CP-BA-AQ	118-136 MHz	510,00 €
CP-2-AQ	135-175 MHz	486,75 €
CP-70-AQ	375-512 MHz	486,75 €
CP-80-AQ	806-870 MHz	486,75 €
Rechazo banda / Reject band		
CR-4-AQ	66-88 MHz	685,00 €
CR-3-AQ	88-108 MHz	641,00 €
CR-2-AQ	136-174 MHz	494,12 €
CR-70-AQ	375-512 MHz	465,58 €
CR-80-AQ	806-870 MHz	465,58 €

FILTROS / FILTERS		
Consulte con fábrica para diseños a medida / Consult with factory for customized design		
Conectores standard N hembra, otros disponibles / Standard connectors N female, other options availables		
Paso banda / Pass band 40 W		
FP-534	33-66 MHz 3 resonadores / resonators ajuste en fábrica/ adjustment in factory	257,25 €
FP-434	66-88 MHz 3 resonadores / resonators	194,81 €
FP-464	66-88 MHz 6 resonadores / resonators	292,22 €
FP-334	88-108 MHz 3 resonadores / resonators	179,74 €
FP-335	88-108 MHz 3 resonadores alta selectividad / resonators high selectivity	179,74 €
FP-364	88-108 MHz 6 resonadores / resonators	292,22 €
FP-234-BA	118-136 MHz 3 resonadores / resonators	166,98 €
FP-264-BA	118-136 MHz 6 resonadores / resonators	222,63 €
FP-294-BA	118-136 MHz 9 resonadores / resonators	275,10 €
FP-234	134-175 MHz 3 resonadores / resonators	166,98 €
FP-264	134-175 MHz 6 resonadores / resonators	222,63 €
FP-7034	375-475 MHz 3 resonadores / resonators	180,89 €
FP-7035	375-475 MHz 3 resonadores alta selectividad / resonators high selectivity	180,89 €
FP-7064	375-475 MHz 6 resonadores / resonators	292,22 €
Paso - Rechazo banda / Pass - Reject band 40 W		
FR-433	66-88 MHz 3 resonadores / resonators	211,85 €
FR-333	88-108 3 resonadores / resonators	201,76 €
FR-337	Reject 88-108 MHz pass 134-174 MHz 3 resonadores / resonators	201,76 €
FR-338	Reject 88-108 MHz pass 380-475 MHz 3 resonadores / resonators	201,76 €
FR-362	Reject 88-108 MHz pass 118-140 MHz 6 resonadores / resonators	360,25 €
FPR-3186	Reject 88-108 MHz pass 118-144 MHz 18 resonadores / resonators	1.400,73 €
FPR-3966	Reject 88-108 MHz pass 118-144 MHz 9 resonadores / resonators	540,23 €
FR30-108P118-500	Pass 118-500 MHz, Reject >40 dB 30-108 MHz	280,00 €
FR-263	134-175 MHz 6 resonadores / resonators	360,25 €
FR-233	134-175 MHz 3 resonadores / resonators	201,76 €
FR-7033	375-475 MHz 3 resonadores / resonators	201,76 €
Paso banda / Pass band 150 W		
FPPT-534	33-66 MHz 3 resonadores / resonators ajuste en fábrica/ adjust in factory	370,00 €
FPPT-434	66-88 MHz 3 resonadores / resonators	240,00 €
FPPT-464	66-88 MHz 6 resonadores / resonators	510,00 €
FPPT-334	88-108 MHz 3 resonadores / resonators	240,00 €
FPPT-364	88-108 MHz 6 resonadores / resonators	510,00 €
FPPT-234-BA	118-136 MHz 3 resonadores / resonators	240,00 €

FPPT-264-BA	118-136 MHz 6 resonadores / resonators	510,00 €
FPPT-294-BA	118-136 MHz 9 resonadores / resonators	780,00 €
FPPT-234	134-175 MHz 3 resonadores / resonators	240,00 €
FPPT-264	134-175 MHz 6 resonadores / resonators	510,00 €
FPPT-7034	375-475 MHz 3 resonadores / resonators	240,00 €
FPPT-7064	375-475 MHz 6 resonadores / resonators	510,00 €
FPPT-800T	Paso / pass 806-824 MHz Rechazo / Reject 851-870 MHz	510,00 €
Paso - Rechazo banda / Pass - Reject band 150 W		
FRPT-433	66-88 MHz 3 resonadores / resonators	370,00 €
FRPT-333	88-108 3 resonadores / resonators	250,00 €
FRPT-337	Reject 88-108 MHz pass 134-174 MHz 3 resonadores / resonators	250,00 €
FRPT-338	Reject 88-108 MHz pass 380-475 MHz 3 resonadores / resonators	250,00 €
FRPT-233	134-175 MHz 3 resonadores / resonators	250,00 €
FRPT-7033	375-475 MHz 3 resonadores / resonators	250,00 €

ACOPLADORES HIBRIDOS 180° / HYBRID COUPLER 180°

Conectores standard N hembra, otros disponibles / Standard connectors N female, other options availables		
HI-432	66-88 MHz	258,41 €
HI-231	130-145 MHz	218,66 €
HI-232	145-175 MHz	218,66 €
HI-7032-L	400-440 MHz	192,15 €
HI-7032-H	440-475 MHz	192,15 €

COMBINADOR HÍBRIDO / HYBRID COMBINER

Combinadores híbridos / Hybrid Combiner (for Tx & RX)		
Aislamiento entre puertas / Isolation between ports >20 dB		
CH-22	140-172 MHz 2 ch, perdidas/loss <3,7 dB, 2x50 W	650,00 €
CH-23	140-172 MHz 3 ch, perdidas/loss <5,5 dB, 3x50 W	990,00 €
CH-24	140-172 MHz 4 ch, perdidas/loss <7 dB, 4x50 W	1.200,00 €
CH-702	380-500 MHz 2 ch, perdidas/loss <3,5 dB, 2x50 W	610,00 €
CH-703	380-500 MHz 3 ch, perdidas/loss <5,2 dB, 3x50 W	860,00 €
CH-704	380-500 MHz 4 ch, perdidas/loss <7 dB, 4x50 W	1.100,00 €

COMBINADOR HIBRIDO-CIRCULADOR / HYBRID-CIRCULADOR COMBINER		
Combinadores TX híbridos+circulador doble / TX Hybrid+ double circulator combiner		
Aislamiento / Isolation TX-TX >50 dB		
CTHC-22	140-174 MHZ 2 ch x 50 W insertion loss <4,3 dB	2.128,57 €
CTHC-23	140-174 MHZ 3 ch x 50 W insertion loss <6,1 dB	3.291,43 €
CTHC-24	140-174 MHZ 4 ch x 50 W insertion loss <7,8 dB	3.977,14 €
CTHC-26	140-174 MHZ 6 ch x 50 W insertion loss <9,8 dB	5.457,14 €
CTHC-28	140-174 MHZ 8 ch x 50 W insertion loss <11,5 dB	7.805,71 €
CTHC-702	380-480 MHZ 2 ch x 50 W insertion loss <4,1 dB	1.534,29 €
CTHC-703	380-480 MHZ 3 ch x 50 W insertion loss <5,8 dB	2.148,57 €
CTHC-704	380-480 MHZ 4 ch x 50 W insertion loss <7,8 dB	2.891,43 €
CTHC-706	380-480 MHZ 6 ch x 50 W insertion loss <9,3 dB	4.077,14 €
CTHC-708	380-480 MHZ 8 ch x 50 W insertion loss <11,3 dB	5.562,86 €
	Consulte para más canales / Consult for more channels	

Combinadores TX híbridos+circulador doble / TX Hybrid+ double circulator combiner		
Aislamiento / Isolation TX-TX >75 dB		
CTHCD-22	140-174 MHZ 2 ch x 50 W insertion loss <4,6 dB	3.042,86 €
CTHCD-23	140-174 MHZ 3 ch x 50 W insertion loss <6,4 dB	4.662,86 €
CTHCD-24	140-174 MHZ 4 ch x 50 W insertion loss <9,1 dB	5.805,71 €
CTHCD-26	140-174 MHZ 6 ch x 50 W insertion loss <10,1 dB	9.014,29 €
CTHCD-28	140-174 MHZ 8 ch x 50 W insertion loss <11,8 dB	10.428,57 €
CTHCD-702	380-480 MHZ 2 ch x 50 W insertion loss <4,4 dB	2.334,29 €
CTHCD-703	380-480 MHZ 3 ch x 50 W insertion loss <6,1 dB	3.348,57 €
CTHCD-704	380-480 MHZ 4 ch x 50 W insertion loss <8,1 dB	4.491,43 €
CTHCD-706	380-480 MHZ 6 ch x 50 W insertion loss <9,6 dB	6.477,14 €
CTHCD-708	380-480 MHZ 8 ch x 50 W insertion loss <11,6 dB	8.762,86 €
	Consulte para más canales / Consult for more channels	

MULTIACOPLADORES RX / RX MULTIACOUPLERS		
Ganancia / gain +20 dB, ancho de banda / bandwidth 3-5 MHz		
MR-22	140-175 MHZ 2 ch	1.734,29 €
MR-24	140-175 MHZ 4 ch	2.420,00 €
MR-28	140-175 MHZ 8 ch	3.334,29 €
MR-702	380-475 MHZ 2 ch	1.668,57 €
MR-703	380-475 MHZ 3 ch	1.677,14 €
MR-704	380-475 MHz 4 ch	1.680,00 €
MR-706	380-475 MHz 6 ch	1.782,86 €
MR-708	380-475 MHz 8 ch	1.788,57 €
	Consulte para más canales / Consult for more channels	

DIVISORES Y ACOPLADORES / SPLITTERS AND COUPLERS		
Para exterior / For outdoor 300 W max. Conectores N hembra / Connectors N female		
SP-4-2	66-88 MHz 2 vias / ways	211,85 €
SP-4-3	66-88 MHz 3 vias / ways	226,46 €
SP-4-4	66-88 MHz 4 vias / ways	241,07 €
SP-BA-2	118-136 MHz 2 vias / ways	189,00 €
SP-BA-3	118-136 MHz 3 vias / ways	197,24 €
SP-BA-4	118-136 MHz 4 vias / ways	211,85 €
SP-2-2	136-175 MHz 2 vias / ways	182,63 €
SP-2-3	136-175 MHz 3 vias / ways	197,24 €
SP-2-4	136-175 MHz 4 vias / ways	211,85 €
SP-70-2	380-475 MHz 2 vias / ways	175,32 €
SP-70-3	380-475 MHz 3 vias / ways	189,94 €
SP-70-4	380-475 MHz 4 vias / ways	204,55 €
Divisores para interior / Indoor splitters 25 W max, Conectores N hembra / Connectors N female		
SP-850-2	80-500 MHz 2 vias / ways	130,00 €
SP-66175-4	66-175 MHz 4 vias / ways	540,00 €
SP-0305-2	300-500 MHz 2 vias / ways	120,00 €
SP-0305-3	300-500 MHz 3 vias / ways	125,00 €
SP-0305-4	300-500 MHz 4 vias / ways	130,00 €
SP-0727-2	700-2700 MHz 2 vias / ways	80,00 €
SP-0727-3	700-2700 MHz 3 vias / ways	85,00 €
SP-0727-4	700-2700 MHz 4 vias / ways	90,00 €
Acopladores para interior (divisores asimetricos) / Indoor couplers (asimetric splitters) 25 W max, Conectores N hen		
AC-06-0305	6 dB (75% / 25%) 300-500 MHz	110,00 €
AC-10-0305	10 dB (10% / 90%) 300-500 MHz	110,00 €
AC-15-0305	15 dB (75% / 25%) 300-500 MHz	110,00 €
AC-20-0305	20 dB (3% / 97%) 300-500 MHz	110,00 €
AC-06-0727	6 dB (75% / 25%) 690-2700 MHz	80,00 €
AC-10-0727	10 dB (10% / 90%) 690-2700 MHz	80,00 €
AC-20-0727	20 dB (3% / 97%) 690-2700 MHz	80,00 €
	Consulte para otros valores / Consult for others from 6 to 45 dB	

PROTECCIONES / PROTECTIONS		
DES-1000/HH	Descargador de gas conectores N-f / N-f	92,00 €
DES-1000/HM	Descargador de gas conectores N-m / N-f	98,00 €
KITT7/8	Kit tierra para cable de 7/8" / Ground kit for 7/8" cable	39,76 €
KITT1/2	Kit tierra para cable de 1/2" / Grounded kit for 1/2" cable	39,76 €
KITTRG213	Kit tierra / Ground kit RG-213, RG-214, LMR-400	25,00 €
KITT58	Kit tierra / Ground kit RG-58, RG-223, H-155	39,76 €

ATENUADORES / ATTENUATORS		
AT1000-06	Atenuador 6 dB 0-1000 MHz 50 W	150,00 €
AT1000-10	Atenuador 10 dB 0-1000 MHz 50 W	150,00 €
AT1000-15	Atenuador 15 dB 0-1000 MHz 50 W	150,00 €
AT1000-20	Atenuador 20 dB 0-1000 MHz 50 W	150,00 €
AT1000-30	Atenuador 30 dB 0-1000 MHz 50 W	150,00 €
AT1000-40	Atenuador 40 dB 0-1000 MHz 50 W	150,00 €

CARGAS COAXIALES / END LOAD**Consulte otros valores y conectores / Consult for other value and connectors**

C5W-NM	Carga coaxial / End load 5 W connector N-m	70,00 €
C25W-NM	Carga coaxial / End load 25 W connector N-m	100,00 €
C50W-NM	Carga coaxial / End load 50 W connector N-m	120,00 €
C100W-NM	Carga coaxial / End load 100 W connector N-m	160,00 €

CABLES COAXIALES / COAXIAL CABLES

Cables habituales en existencias, consulte para otros tipos de cables coaxiales

Usual cables in our stock, consult for others types of coaxial cables

7/8" rollo / reel 500 m	Ø ext. 27,8 mm foam	4.000,00 €
7/8"	Ø ext. 27,8 mm foam eur/m en cortes / in cut	10,00 €
1/2" rollo / reel 500 m	Ø ext. 16 mm foam	2.500,00 €
1/2"	Ø ext. 16 mm foam eur/m en cortes / in cut	6,00 €
1/2"SF rollo / reel 500 m	Ø ext. 13,6 mm foam superflex	2.000,00 €
1/2"SF	Ø ext. 13,6 mm superflex foam eur/m en cortes / in cut	5,00 €
RG-213	Ø ext. 10,3 mm	2,60 €
RG-214	Ø ext. 10,8 mm Doble malla / Dual Braid	4,78 €
LMR-400 / RF-400	Ø ext. 10,3 mm bajas perdidas / low loss	4,60 €
RG-58	Ø ext. 4,95 mm	0,82 €
H-155	Ø ext. 5,4 mm bajas perdidas / low loss	3,90 €
RG-223	Ø ext. 5,4 mm Doble malla / Dual Braid	2,49 €
RG-174	Ø ext. 2,55 mm	0,71 €

CONECTORES / CONNECTORS (1/2)

Consulte para otros tipos de cable o forma de montaje

Consult for other cable type or assembly form

Tipo / Type 7/16

7/16-1/2-M	7/16 macho / male cable 1/2"	18,00 €
7/16-1/2-H	7/16 hembra / female cable 1/2"	18,00 €
7/16-1/2SF-M	7/16 macho / male cable 1/2" superflex	18,00 €
7/16-1/2SF-H	7/16 hembra / female cable 1/2" superflex	18,00 €
7/16-7/8-M	7/16 macho / male cable 7/8"	18,00 €
7/16-7/8-H	7/16 hembra / female cable 7/8"	18,00 €
7/16-RG-214-M	7/16 macho / male cable RG-214	30,00 €
7/16-LMR400-M	7/16 macho / male cable RG-8 / LMR-400	30,00 €
7/16-RG-213-M	7/16 macho / male cable RG-213	30,00 €

Tipo / Type N

NM-1/2"	N macho / male cable 1/2"	15,00 €
NM-1/2"SF	N macho / male cable 1/2" superflex	18,00 €
NM-7/8	N macho / male cable 7/8"	18,00 €
NM-RG213	N macho / male cable RG 213 soldar / solder.	6,72 €
NM-RG213/K	N macho / male cable RG-213 crimpar / crimp	7,55 €
NM-RG214	N-m cable RG-214 / CO-22 soldar / solder	8,52 €
NM-RG214/K	N macho / male cable RG-214 / CO-22 crimpar / crimp	8,20 €
NM-LMR400	N macho / male cable LMR-400 / RG-8 soldar / solder	10,20 €
NM-LMR400/K	N macho / male cable LMR-400 / RG-8 crimpar / crimp	10,20 €
NM-RG58	N macho / male cable RG 58 soldar / solder	7,95 €
NM-RG58/K	N macho / male cable RG-58 crimpar / crimp	6,91 €
NM-H155	N macho / male cable H-155 soldar / solder	8,60 €
NM-H155/K	N macho / male cable H-155 crimpar / crimp	7,50 €
NM-RG223/K	N macho / male cable RG-223 crimpar / Crimp	6,51 €
NM-RG174/K	N macho / male cable RG-174 crimpar / crimp	10,80 €
90° NM-1/2"	N macho / male acodado / angle 90° cable 1/2"	17,00 €
90° NM-1/2"SF	N macho / male acodado / angle 90° cable 1/2" superflex	18,00 €
90° NM-RG213	N macho / male acodado / angle 90° cable RG-213 soldar / solder	14,00 €
90° NM-RG213/K	N macho / male acodado / angle 90° cable RG-213 crimpar / crimp	13,00 €
90° NM-RG214	N macho / male acodado / angle 90° cable RG-214 soldar / solder	13,00 €
90° NM-RG214/K	N macho / male acodado / angle 90° cable RG-214 crimpar / crimp	11,00 €
90° NM-LMR400	N macho / male acodado / angle 90° cable LMR-400 soldar / solder	14,00 €

90° NM-RG58/K	N macho / male acodado / angle 90° RG-58 crimpar / crimp	12,02 €
90° NM-RG223/K	N macho / male acodado / angle 90° cable RG-223 crimpar / crimp	10,60 €
NH-1/2"	N hembra / female cable 1/2"	15,00 €
NH-1/2"SF	N hembra / female cable 1/2" superflex	18,00 €
NH-7/8	N hembra / female cable 7/8"	18,00 €
NH-RG213	N hembra / female cable RG-213 soldar / solder	6,08 €
NH-RG213/K	N hembra / female cable RG-213 crimpar / crimp	7,18 €
NH-RG214	N-hembra / female cable RG-214 soldar / seolder	8,00 €
NH-RG214/K	N hembra / female cable RG-214 crimpar / crimp	7,56 €
NH-LMR400	N hembra / female cable LMR-400 / RG-8 soldar / solder	8,80 €
NH-LMR400/K	N hembra / female cable LMR-400 / RG-8 crimpar / crimp	10,62 €
NH-H155/K	N hembra / female cable H-155 crimpar / crimp	7,00 €
NH-RG223/K	N hembra / female cable RG-58 crimpar / crimp	7,90 €
NH-RG58	N hembra / female cable RG-58 soldar / solder	7,70 €
NH-RG58/K	N hembra / female cable RG-58 crimpar / crimp	6,95 €

Tipo / Type BNC		
BNCM-RG58	BNC macho / male RG-58 soldar / solder	5,80 €
BNCM-RG58/K	BNC macho / male RG-58 crimpar / crimp	3,75 €
BNCM-RG223	BNC macho / male soldar / solder cable RG-223	4,20 €
BNCM-RG223/K	BNC macho / male cable RG-223 crimpar / crimp	4,05 €
BNCM-RGH155/K	BNC macho / male cable H-155 crimpar / crimp	7,60 €
BNCM-RG174/K	BNC macho / male cable RG-174 crimpar / crimp	7,00 €
BNCM-RG213	BNC macho / male soldar / solder cable RG-213	6,62 €
BNCM-RG213/K	BNC macho / male cable RG-213 crimpar / crimp	6,73 €
BNCM-RG214	BNC macho / male soldar / solder cable RG-214	9,62 €
BNCM-RG214/K	BNC macho / male cable RG-214 crimpar / crimp	9,10 €
BNCM-LMR400	BNC macho / male cable LMR-400 soldar / solder	8,00 €
BNCM-LMR400/K	BNC macho / male cable LMR-400 crimpar / crimp	9,00 €
90° BNCM-RG58	BNC macho / male acodado / angle 90° cable RG-58 soldar / solder	10,30 €
90° BNCM-RG213/K	BNC macho / male acodado / angle 90° cable RG-213 crimpar / crimp	10,50 €
BNCH-RG58	BNC hembra / female cable RG-58 soldar / solder	5,80 €
BNCH-RG58K	BNC hembra / female cable RG-58 crimpar / crimp	5,20 €
BNCH-RG223/K	BNC hembra / female RG-223 crimpar / crimp	5,80 €
Tipo / Type PL (UHF)		
PLM-RG213	PL macho / male cable RG-213 soldar / solder	2,80 €
PLM-RG213/K	PL macho / male cable RG213 crimpar / crimp	6,20 €
PLM-RG214	PL macho / male cable RG-213 soldar / solder	5,00 €
PLM-RG58	PL macho / male cable RG-58 soldar / solder	2,60 €
PLM-RG58/K	PL macho / male RG-58 crimpar / crimp	5,90 €
PLM-RG223/K	PL macho / male cable RG223 crimpar / crimp	6,50 €
90°PLM-RG213	PL macho / male acodado / angle cable RG-213 soldar / solder	17,50 €
PLH-RG213	PL hembra / female cable RG-213 soldar / solder	7,61 €
PLH-RG58	PL hembra / female cable RG-58 soldar / solder	13,00 €
Tipo / Type MINI-UHF (Mini PL)		
MINIUHFM	MINI UHF macho / male RG-58 crimpar / crimp	2,76 €
MINIUHFH	MINI UHF hembra / female RG-58 crimpar / crimp	4,31 €
90° MINIUHFM	MINI UHF macho / male acodado / angle 90°	4,30 €
Tipo / Type TNC		
TNCM-RG213	TNC macho / male cable RG213 soldar / solder	8,32 €
TNCM-RG213/K	TNC macho / male RG-213 crimpar / crimp	6,74 €
TNCM-RG214/K	TNC macho / male RG-214 crimpar / crimp	9,20 €
TNCM-LMR400	TNC macho / male cable LMR-400 soldar / solder	8,80 €
TNCM-LMR400/K	TNC macho / male LMR-400 crimpar / crimp	7,90 €
TNCM-RG58	TNC macho / male cable RG-58 soldar / solder	3,72 €
TNCM-RG58/K	TNC macho / male cable RG-58 crimpar / crimp	5,40 €
TNCM-H155/K	TNC macho / male cable H-155 crimpar / crimp	4,35 €
TNCM-RG223/K	TNC macho / male cable RG-223 crimpar / crimp	5,00 €
TNCM-RG58/K-RP	TNC macho / male cable RG-58 crimpar / crimp REVERSE POLARITY	9,20 €
TNCM-RG174/K	TNC macho / male cable RG-174 crimpar / crimp	8,50 €
90° TNCM-RG58/K	TNC macho / male acodado / angle 90° cable RG-58 crimpar / crimp	8,00 €
90° TNCM-RG223/K	TNC macho / male acodado / angle 90° cable RG-223 crimpar / crimp	9,00 €
90° TNCM-RG213/K	TNC macho / male acodado / angle 90° cable RG-213 crimpar / crimp	12,80 €
TNCH-RG223/K	TNC hembra / female cable RG-223 crimpar / crimp	6,80 €
TNCH-RG174	TNC hembra / female cable RG-174 soldar 7 solder	6,20 €
TNCH-RG58	TNC hembra / female cable RG-58 soldar 7 solder	6,20 €
TNCH-RG58/K	TNC hembra / female cable RG-58 crimpar / crimp	5,64 €

Tipo / Type FME		
FMEM-RG174/K	FME macho / male cable RG-174 crimpar / crimp	3,30 €
FMEM-RG223/K	FME macho / male RG-223 crimpar / crimp	4,10 €
FMEM-RG58/K	FME macho / male cable RG-58 crimpar / crimp	3,30 €
FMEM-H155/K	FME macho / male H-155 crimpar / crimp	4,10 €
FMEH-RG174/K	FME hembra / female cable RG 174 crimpar / crimp	3,30 €
FMEH-RG58/K	FME hembra / female cable RG 58 crimpar / crimp	3,29 €
FMEH-RG223/K	FME hembra / female RG-223 / H155	4,10 €
Tipo / Type SMA		
90° SMAM-RG174/K	SMA macho / male acodado / angle 90° RG-174 crimpar / crimp	8,90 €
90° SMAM-RG223/K	SMA macho / male acodado / angle 90° RG-223 crimpar / crimp	10,50 €
90° SMAM-RG58/K	SMA macho / male acodado / angle 90° RG-223 crimpar / crimp	10,50 €
90° SMAM-H155/K	SMA macho / male acodado / angle 90° H-155 crimpar / crimp	11,00 €
SMAM-RG58	SMA macho / male cable RG-58 soldar / solder	6,96 €
SMAM-RG58/K	SMA macho / male cable RG-58 crimpar / crimp	4,69 €
SMAM-RG223/K	SMA macho / male cable RG-223 crimpar / crimp	7,50 €
SMAM-H155	SMA macho / male cable H-155 soldar / solder	5,00 €
SMAM-H155/K	SMA macho / male cable H-155 crimpar / crimp	7,00 €
SMAM-RG174/K	SMA macho / male cable RG-174 crimpar / crimp	6,40 €
SMAH-RG58	SMA hembra / female cable RG-58 soldar / solder	6,96 €
SMAH-RG58/K	SMA hembra / female cable RG-58 crimpar / crimp	4,69 €
SMAH-H155/K	SMA hembra / female cable H-155 crimpar / crimp	5,80 €
SMAH-RG223/K	SMA hembra / female cable RG-223 crimpar / crimp	7,75 €
SMAH-RG174/K	SMA hembra / female cable RG174 crimpar / crimp	4,50 €
Tipo / Type SMA-RP (reverse polarity)		
SMAM-RG58/K	SMA RP pin hembra, rosca interior /female pin, inner thread RG-58 crimp	11,50 €
SMAM-H155/K	SMA RP pin hembra, rosca interior /female pin, inner thread H-155 crimp	12,00 €
SMAM-RG174/K	SMA RP pin hembra, rosca interior /female pin, inner thread RG-174 crimp	9,00 €
SMAH-RP-RG58/K	SMA RP pin macho, rosca exterior / male pin, outer thread RG-58 crimp	11,50 €
SMAH-H155/K	SMA RP pin macho, rosca exterior / male pin, outer thread H-155 crimp	13,00 €
SMAH-RG174/K	SMA hembra / female cable RG174 crimpar / crimp	9,00 €
Miniconnectors RG174		
SMBM-RG174/K	SMB macho / male cable RG-174 crimpar / crimp	9,82 €
SMBH-RG174/K	SMB hembra / female cable RG-174 crimpar / crimp	5,00 €
MCXM-RG174/K	MCX macho / male cable RG-174 crimpar / crimp	6,27 €
90°MCXM-RG174/K	MCX macho / male cable acodado / angle 90° RG-174 crimpar / crimp	10,60 €
MCXH-RG174/K	MCX hembra / female cable RG-174 crimpar / crimp	3,75 €
MMCXM-RG174/K	MINI MCX macho / male RG-174 crimpar / crimp	7,90 €
90°MMCXM-RG174/K	Mini MCX macho / male cable acodado / angle 90° RG-174 crimpar / crimp	12,50 €
MMCXH-RG174/K	Mini MCX hembra / female cable RG-174 crimpar / crimp	7,40 €
SMCH-RG174	SMC hembra / female RG-174 crimpar / crimp	8,50 €

ADAPTADORES / ADAPTERS		
7/16H-NM	Adaptador / Adapter 7/16 female <> N male	25,00 €
7/16H-NH	Adaptador / Adapter 7/16 female <> N female	25,00 €
7/16M-NM	Adaptador / Adapter 7/16 male <> N male	25,00 €
7/16M-NH	Adaptador / Adapter 7/16 male <> N female	25,00 €
BNCM-TNCM	Adaptador / Adapter BNC macho / male <> TNC macho / male	15,00 €
BNCM-BNCH	Adaptador / Adapter BNC macho/male <> BNC female/female	6,51 €
BNCM-MINIUHF	Adaptador / Adapter BNC macho / male <> MINI UHF macho / male	7,20 €
BNCM-TNCH	Adaptador / Adapter BNC macho / male <> TNC hembra / female	13,55 €
BNCM-TNCM	Adaptador / Adapter BNC macho / male <> TNC macho / male	15,00 €
BNCM-SMAM	Adaptador / Adapter BNC macho/male <> SMA macho/male	18,00 €
BNCM-SMAH	Adaptador / Adapter BNC macho/male <> SMA hembra / female	18,00 €
BNCH-BNCH	Adaptador / Adapter doble / double BNC hembra / female	6,51 €
BNCH-TNCM	Adaptador / Adapter BNC hembra / female <> TNC macho / male	15,00 €
BNCH-SMAM	Adaptador / Adapter BNC hembra / female <> SMA macho / male	16,00 €
BNCH-SMAH	Adaptador / Adapter BNC hembra / female <> SMA hembra / female	16,20 €
BNC-H/M/H	Adaptador tipo "T" / Adapter "T" type 2 x BNC hembra / female + 1 x BNC macho / male	6,83 €
TNCM-SMAH	Adaptador / Adapter TNC-macho / male <> SMA hembra / female	13,50 €
TNCH-TNCH	Adaptador / Adapter TNC hembra doble / double female	8,21 €
TNCH-SMAH	Adaptador / Adapter TNC-hembra / female <> SMA hembra / female	19,00 €
TNCH-BNCH	Adaptador / Adapter TNC hembra / female <> BNC hembra / female	13,20 €
NMO-TNCH	Adaptador / Adapter NMO <> TNC hembra	53,99 €
PLM-BNCH	Adaptador / Adapter PL macho / male <> BNC hembra / female	17,02 €
PLM-BNCH	Adaptador / Adapter PL macho / male <> BNC macho / male	13,80 €
PLM-FMEM	Adaptador / Adapter PL macho / male <> BNC macho / male	2,93 €
PLH-BNCH	Adaptador / Adapter PL hembra / female <> BNC hembra / female	13,80 €
PLH-BNCH	Adaptador / Adapter PL hembra / female <> BNC macho / male	13,80 €
PLH-MINIUHF	Adaptador / Adapter PL hembra / female <> MINI UHF macho / male	4,76 €
PLH-PLH/C	Adaptador / Adapter PL hembra doble / double female	6,68 €
PLH-PLH/L	Adaptador / Adapter PL hembra doble rosca panel / double female panel mount threaded	9,00 €
PLH-PLM-PLH	Adaptador / Adapter 2 x PL hembra / female + 1 PL macho / male	6,79 €
PLH-TNCM	Adaptador / Adapter PL hembra / female <> TNC macho / male	7,46 €
NH-BNCH	Adaptador / Adapter N hembra / female <> BNC hembra / female	14,60 €
NH-BNCH	Adaptador / Adapter N hembra / female <> BNC macho / male	18,20 €
NH-DOBLE	Adaptador / Adapter N hembra doble / double female	11,60 €
NH-DOBLE/R	Adaptador / Adapter N hembra rosca panel / double female panel threaded	12,80 €
NH-MINIUHF	Adaptador / Adapter N hembra / female <> MINI-UHF macho / male	9,18 €
NH-PLH	Adaptador / Adapter N hembra / female <> PL hembra / female	14,80 €
NH-PLM	Adaptador / Adapter N hembra / female <> PL macho / male	18,50 €
NH-TNCM	Adaptador / Adapter N hembra / female <> TNC macho / male	17,20 €
NH-TNCH	Adaptador / Adapter N hembra / female <> TNC hembra / female	18,00 €
NH-SMAM	Adaptador / Adapter N hembra / female <> SMA macho / male	17,00 €
NH-SMAH	Adaptador / Adapter N hembra / female <> SMA female / female	19,00 €
NH-NM-NH	Adaptador tipo "T" / Adapter "T" type 2 x N hembra / female + 1 x N macho / male	30,00 €
90°NM-NH	Adaptador acodado / angle 90° N macho / male <> N hembra / female	15,40 €
NM-PLM	Adaptador / Adapter PL macho / male <> N macho / male	16,00 €
NM-PLH	Adaptador / Adapter PL hembra / female <> N macho / male	18,50 €
NM-SMAM	Adaptador / Adapter N macho / male <> SMA macho / male	19,00 €
NM-SMAH	Adaptador / Adapter N macho / male <> SMA female / female	19,00 €
NM-TNCM	Adaptador / Adapter N male / male <> TNC macho / male	16,80 €
NM-TNCH	Adaptador / Adapter N male / male <> TNC hembra / female	17,20 €

NM-BNCH	Adaptador / Adapter N macho / male <> BNC hembra / female	17,20 €
NM-BNCM	Adaptador / Adapter N macho / male <> BNC macho / male	17,20 €
NM-DOBLE	Adaptador / Adapter N macho / male <> N macho / malo	12,00 €
NM-FMEM	Adaptador / Adapter N macho / male <> FME macho / male	9,20 €
NM-MINIUHFH	Adaptador / Adapter N macho / male <> MINI-UHF hembra / female	8,28 €
NM-PLH	Adaptador / Adapter N macho / male <> PL hembra / female	18,50 €
NM-TNCH	Adaptador / Adapter N macho / male <> TNC hembra / female	17,20 €
FMEM-BNCM	Adaptador / Adapter FME macho / male <> BNC macho / male	4,44 €
FMEM-FMEM	Adaptador / Adapter FME macho / male <> FME macho / male	2,65 €
FMEM-SMAH	Adaptador / Adapter FME macho / male <> SMA hembra / female	6,51 €
FMEM-SMAM	Adaptador / Adapter FME macho / male <> SMA macho / male	5,91 €
FMEM-TNCM	Adaptador / Adapter FME macho / male <> TNC macho / male	4,44 €
MINIUHF-FMEM	Adaptador / Adapter MINI-UHF macho / male <> FME macho / male	4,41 €
90° SMAM-H	Adaptador acodado / adapter angle 90° SMA macho / male <> SMA hembra / female	13,29 €